

Cascading Style Sheets Cheatsheet ¶¶GG % &L

Font Properties

Font-Family

Changes the font family of certain words, sentences, paragraphs, etc.

```
P { font-family: "New Century Schoolbook", Times, serif; }
```

Font-Style

Changes text: normal, oblique, and italics.

```
H1 { font-style: oblique; }
```

```
P { font-style: normal; }
```

Font-Variant

Used to display font in normal or small-caps.

```
SPAN { font-variant: small-caps; }
```

Font-Weight

Used to specify the weight of the font.

```
H1 { font-weight: 800; } or P { font-weight: normal; }
```

Font-Size

Used to modify the size of the displayed font.

```
H1 { font-size: large; } or P { font-size: 12pt; }
```

```
LI { font-size: 90%; }
```

```
STRONG { font-size: larger; }
```

Font

Used to combine all properties of fonts.

```
P { font: italic bold 12pt/14pt Times, serif; }
```

Color and Background Properties

Color

Changes the color of text.

```
H1 { color: blue; } or H2 { color: #000080; }
```

Background-Color

Sets the background color of an element.

```
BODY { background-color: white; }
```

```
H1 { background-color: #000080; }
```

Background-Image

Sets the background image of an element.

```
BODY { background-image: url(/images/foo.gif); }
```

```
P { background-image: url(http://www.htmlhelp.com/bg.png); }
```

Background-Repeat

Determines how a specified background image is repeated.

The repeat-x value will repeat the image horizontally while the repeat-y value will repeat the image vertically.

```
BODY { background: white url(candybar.gif); }
```

```
background-repeat: repeat-x; }
```

Background-Attachment

Determines if a specified background image will scroll with the content or be fixed with regard to the canvas.

```
BODY { background: white url(candybar.gif); }
```

```
background-attachment: fixed; }
```

Background

Used to combine all properties of background.

```
BODY { background: white url(http://www.htmlhelp.com/foo.gif); }
```

```
BLOCKQUOTE { background: #7fffd4; }
```

```
P { background: url(../backgrounds/pawn.png) #f0f8ff fixed; }
```

```
TABLE { background: red url(leaves.jpg) no-repeat bottom right; }
```

Text Properties

Word-Spacing

Defines an additional amount of space between words.

```
P EM { word-spacing: 0.4em; }
```

```
P.note { word-spacing: -0.2em; }
```

Letter-Spacing

Defines an additional amount of space between characters.

```
H1 { letter-spacing: 0.1em; }
```

```
P.note { letter-spacing: -0.1em; }
```

Text-Decoration

Allows text to be decorated through one of five properties: underline, overline, line-through, blink, none.

```
A:link, A:visited, A:active { text-decoration: none; }
```

Vertical-Align

Used to alter the vertical positioning of an inline element, relative to its parent element or to the element's line.

```
IMG.middle { vertical-align: middle; }
```

```
IMG { vertical-align: 50%; }
```

```
.exponent { vertical-align: super; }
```

Text-Transform

Allows for capitalizing the first letter of each word (capitalize), capitalizing all letters of a word (uppercase), using all small letters in each word(lowercase), and the initial value(none).

```
H1 { text-transform: uppercase; }
```

```
H2 { text-transform: capitalize; }
```

Text-Align

Used to justify text left, center, right, and justify.

```
H1 { text-align: center; }
```

```
P.newspaper { text-align: justify; }
```

Text-Indent

Used to specify the amount of indentation prior to the first line of text.

```
P { text-indent: 5em; }
```

Line-Height

Used to control the spacing between baselines of text.

```
P { line-height: 200%; }
```

Classification Properties

List-Style-Type

Specifies the type of list-item marker, and is used if list-style-image is none or if image loading is turned off.

```
LI.square { list-style-type: square; }
```

```
UL.plain { list-style-type: none; }
```

```
OL { list-style-type: upper-alpha; } /* A B C D E etc. */
```

```
OL OL { list-style-type: decimal; } /* 1 2 3 4 5 etc. */
```

```
OL OL OL { list-style-type: lower-roman; } /* i ii iii iv etc. */
```

List-Style-Image

Specifies the image that will be used as list-item marker when image loading is turned on, replacing the marker specified in the list-style-type property.

```
UL.check { list-style-image: url(/LI-markers/checkmark.gif); }
```

```
UL LI.x { list-style-image: url(x.png); }
```

List-Style-Position

Determines where the marker is placed in regard to the list item. If the value *inside* is used, the lines will wrap under the marker instead of being indented. *outside* is default.

```
UL { list-style-position: inside; }
```

Cascading Style Sheets Cheatsheet (CSS 1&2)

Box Properties

Margin-Top

Sets the top margin of an element by specifying a length or a percentage.

```
BODY { margin-top: 5pt; }
```

Margin-Right

Sets the right margin of an element by specifying a length or a percentage.

```
P.narrow { margin-right: 50%; }
```

Margin-Bottom

sets the bottom margin of an element by specifying a length or a percentage.

```
DT { margin-bottom: 3em; }
```

Margin-Left

sets the left margin of an element by specifying a length or a percentage.

```
ADDRESS { margin-left: 50%; }
```

Margin

Sets the margins of an element by specifying top, bottom, left and right margins -- all either specifying length or percentage.

```
BODY { margin: 5em; } /* all margins 5em */
P { margin: 2em 4em; } /* top & bottom 2em, left & right 4em */
DIV { margin: 1em 2em 3em 4em; }
/* top margin 1em, right 2em, bottom 3em, left 4em */
```

Padding-Top

Describes the amount of space between the top border and the content of the selector.

```
P { padding-top: 20%; }
```

Padding-Right

Describes the amount of space between the right border and the content of the selector.

```
P { padding-right: 20 px; }
```

Padding-Bottom

Describes the amount of space between the bottom border and the content of the selector.

```
P { padding-bottom: 5 em; }
```

Padding-Left

Describes the amount of space between the left border and the content of the selector.

```
P { padding-left: 15 pt; }
```

Padding

Shorthand for the padding-top, padding-right, padding-bottom, and padding-left properties.

```
BLOCKQUOTE { padding: 2em 4em 5em 4em; }
```

Border-Top-Width

Used to specify the width of an element's top border.

```
P { border-top: 20%; }
```

Border-Right-Width

Used to specify the width of an element's right border.

```
P { border-right: 20%; }
```

Border-Bottom-Width

Used to specify the width of an element's bottom border.

```
P { border-bottom: 20%; }
```

Border-Left-Width

Used to specify the width of an element's left border.

```
P { border-left: 20%; }
```

Border-Width

Used to set the width of an element's border (either all borders, or specifying top border, right border, bottom border, left border).

```
P { border-width: 20%; }
P { border-width: 10px 5px 10px 5px; }
```

Border-Color

Used to set the color of an element's border.

```
P { border-color: #00000; }
```

Border-Style

Sets style of a border - none, dotted, dashed, solid, double.

```
P { border-style: dotted; }
```

Border-Top

Sets the width, style, and color of an element's top border.

```
P { border-top: 10px, red, double; }
```

Border-Right

Sets the width, style, and color of an element's right border.

```
P { border-right: 10px, red, double; }
```

Border-Bottom

Sets the width, style, and color of an element's bottom border.

```
P { border-bottom: 10px, red, double; }
```

Border-Left

Sets the width, style, and color of an element's left border.

```
P { border-left: 10px, red, double; }
```

Border

Sets the width, style, and color of an element's border.

```
P { border: 10px, red, double; }
```

Width

Each block-level or replaced element can be given a width, specified as a length, a percentage, or as auto.

```
P { width: 15px; }
H1 { width: 35%; }
.foo { width: auto; }
```

Height

Each block-level or replaced element can be given a height, specified as a length or as auto.

```
P { height: 15px; }
H1 { height: 35%; }
.foo { height: auto; }
```

Float

Allows text to wrap around an element (left, right, none).

```
P { float: left; }
H1 { float: right; }
.foo { float: none; }
```

Clear

Specifies whether an element allows floating elements to its sides (left, right, none).

```
P { clear: left; }
H1 { clear: right; }
.foo { clear: none; }
```